



LINN

Classik Systems

To learn more about any aspect of Linn products and the company behind them, visit www.linn.co.uk or contact us at one of the centres below:

Linn Products Limited

Glasgow Road, Waterfoot, Eaglesham, Glasgow G76 0EQ, Scotland, UK.
Phone: +44 (0) 141 307 7777. Fax: +44 (0) 141 644 4262.
Helpline: 0500 888 909.
Email: helpline@linn.co.uk
Website: www.linn.co.uk

Linn Records

Glasgow Road, Waterfoot, Eaglesham, Glasgow G76 0EQ, Scotland, UK.
Phone: +44 (0) 141 303 5027. Fax: +44 (0) 141 303 5007.
Email: info@linnrecords.co.uk
Website: www.linnrecords.com

Linn Products Inc

8787 Perimeter Park Boulevard, Jacksonville, FL 32216, USA.
Phone: +1 (904) 645 5242. Fax: +1 (904) 645 7275.
Email: helpline@linninc.com

Linn Deutschland GmbH

Hühnerposten 1d, D-20097 Hamburg, Deutschland.
Phone: +49-(0) 40-890 660-0. Fax: +49-(0) 40-890 660-29.
Email: info@linngmbh.de



LINN

Linn, the Linn logo and all other Linn product names and slogans are trade marks or registered trade marks of Linn Products Limited.
© Linn Products Limited 2007, all rights reserved

Pack 1356 07/07



Linn Classik Systems.

Linn CLASSIK Systems bring together style, simplicity and true Linn audio performance in a compact all-in-one package.

The neat, simple form of the CLASSIK Music System belies its aptitude for delivering superb musical quality from CD and radio.

The CLASSIK Movie System is the perfect choice for discerning music and movie lovers looking for a discreet, integrated package to give the most inspiring music and home theatre experience.

Linn CLASSIK Systems are designed to achieve the best from your music and movie collection and fit easily into your lifestyle.



Music for life.

You know how much pleasure music brings to your life. It can pick you up. It can calm you down. It can move your feet and stimulate your mind.

Over thirty years ago Linn was born out of a simple truth; the more accurately a system reproduces sound, the greater the impact it will have on the listener. The better the sound, the greater the benefit. Ever since then, our goal has been to produce music and movie systems capable of delivering the full emotion of a live performance in your home.

The best sound systems can change your life. Only music and movies reproduced to the highest standards can bring you lasting pleasure, so at Linn accurate reproduction always comes first.



Classik Movie. Classic styling.

The CLASSIK Movie System is an integrated home theatre solution that will deliver the most amazing music and movie experience.

With an integrated DVD and CD player, tuner and combined pre-amplifier and surround sound power amplifier, the CLASSIK Movie is everything you will need to enjoy your favourite movies and music at home.

The unmistakable Linn styling of the CLASSIK Movie System is simple and elegant. With Linn's KOMPONENT loudspeakers, the CLASSIK Movie System offers an unrivalled movie experience in a timeless package.

Thanks to its compact form and the added benefit of clever cable management within the KOMPONENT loudspeakers, the CLASSIK Movie System is extremely discreet and will complement any home environment.





The stylish exterior of the CLASSIK Movie System subtly conceals the disc drawer within the smooth curves of the display window.



With advanced multi-channel power amplification, the CLASSIK Movie allows you to enjoy your entire entertainment system in superb 5.1 surround sound.

Amazing versatility.

The CLASSIK Movie System is even more than a movie and music player; it is designed to integrate with games consoles, satellite receivers, MP3 players and other components to form the heart of your home entertainment system.

With advanced multi-channel processing capabilities including DTS and Dolby ProLogic II, the CLASSIK Movie System allows you to enjoy your music and gaming experience in superb 5.1 surround sound.

The RDS FM/AM tuner within the CLASSIK Movie System displays information on all FM channels and holds up to 200 presets.

The CLASSIK Movie System is available in silver and graphite finishes to match Linn's KOMPLEMENT loudspeaker system. The four models in the KOMPLEMENT range, offer the flexibility to configure your CLASSIK Movie System in a number of ways to suit your requirements and home environment.



Classik Music System. Simple, neat and complete.

The Linn CLASSIK Music System is an all-in-one music solution combining a CD player and AM/FM tuner with integrated amplification.

Available in silver, black or white finishes, the CLASSIK Music is an extremely flexible system offering a wide variety of features to satisfy the most discerning music lovers.

With two sets of loudspeaker outputs, the CLASSIK Music System allows you to connect two pairs of loudspeakers and enjoy your music in more than one room at a time. You can take this one step further and take advantage of the multi-room capability of the CLASSIK Music System to benefit from the same superb audio quality throughout your home, whether from CD, radio or your MP3 player.

Linn's CLASSIK Music System can be partnered with a variety of Linn loudspeakers, in particular, a pair of stylish KOMPONENT 104 loudspeakers (shown opposite).





Linn systems are simply better.

A Linn system is built to last.

Because Linn believes in being true to the music, the focus has always been in developing systems that reproduce sound as faithfully as possible to the original recording. Over the decades our experience has given us a clear understanding of how sound travels from recording to loudspeakers, and an appreciation that the sound reproduction process is only as strong as its weakest link.

All Linn products are designed to deliver exceptional audio performance, ensuring all components in a Linn system work together in perfect harmony to bring you the ultimate music and movie experience.



Listen for yourself.

Linn has always believed the best way to select a system is through product demonstration and comparison. Our advice to customers has always been simple: if it sounds better, it is better.

Compare the products you're considering with an open mind and buy the one that you believe offers the best sound and picture quality. That way, whichever system you choose, you'll know you've made your choice for the right reason. It's Simply Better.

Listen to Linn's CLASSIK Systems and compare them with other similar systems to hear the difference for yourself. Your Linn retailer will happily arrange a product demonstration in store or, in some cases, in your home.



CLASSIK Movie Technical information.

CLASSIK Music Technical information.



POWER CONSUMPTION	17 W standby 120 W rated power	PRE-AMPLIFIER	8 phono sockets	POWER CONSUMPTION	325 W maximum in normal operating mode 25 W typical use < 7 W in standby	MULTI-ROOM	RCU socket: allows connection of a Linn Remote Control Unit.
MAIN SUPPLY RANGE	Switching power supply with auto-ranging (100 - 120 V ac @ 50 - 60 Hz) (220 - 240 V ac @ 50 - 60 Hz)	TUNER	FM aerial terminal AM aerial terminal	MAINS SUPPLY	Nominal voltage \pm 10 %		Room In: allows connection of balanced audio and communication between other CLASSIKs or the Linn KNEKT system.
CD / DVD ENGINE	Dual beam laser pick up	TUNER RANGE	USA: FM 87.5 MHz to 108.5 MHz AM 530 kHz to 1730 kHz	CD ENGINE	Focus system: triple beam laser pick up Conversion technology: Delta Sigma		Room 1-4: allows connection of balanced audio and communication between other CLASSIKs or the Linn KNEKT system.
AUDIO DECODING	Dolby Digital, Dolby Pro Logic II, DTS		Japan: FM 75.5 MHz to 108.5 MHz AM 522 kHz to 1629 kHz	DISTRIBUTED AUDIO	4 x RJ45 sockets		IR Flasher 1 and 2: allows connection of an IR diode to allow control of other equipment.
VIDEO STANDARDS	PAL and NTSC signal operation	TUNING RESOLUTION	Europe: FM 87.5 MHz to 108.5 MHz AM 522 kHz to 1611 kHz	OUTPUTS	Tape output equal to all input levels Digital output: CD Digital output on back panel Output impedance: 100 Ω Preamp output: volume range Ω to +10 dB Output impedance: 150 Ω		6 mA constant current output.
COMPATIBLE DISC TYPES	DVD-Video, CD, VCD, DVD+R/-R/+RW/-RW, CD-R/-RW		FM TUNE mode: 50 kHz, FM SCAN mode: 100kHz, AM TUNE mode: 1kHz, AM SCAN mode: 10kHz USA, 9 kHz Japan and Europe	POWER OUTPUT	75 W RMS per channel into 4 Ω (nominal mains)		Modulation frequency can be varied from 20 kHz to 450 kHz
COMPATIBLE FORMATS	MPEG-2 (DVD-Video), MPEG-1 (VCD), JPEG (picture discs), LPCM (CD), DTS CD, MP3	PRESETS	200 user definable presets	PRE-AMPLIFIER INPUTS	Tape/Aux1/Aux2: -10 dBV (sensitivity) 100 Ω (input impedance)	DIMENSIONS (height x width x depth)	80 x 320 x 325 mm 3.1 x 12.6 x 12.8 inches
VIDEO INPUTS (SCART)	SCART (RGB, YPrPb, Composite) S-video on 4 pin DIN	HEADPHONES	Output impedance - 5 Ω	POWER AMPLIFIER	Voltage gain 28.5 dB	WEIGHT	6kg 13.2lbs
AUDIO INPUTS (SCART)	2 RCA phono inputs 1 optical digital input & 1 coaxial digital input SCART (analogue stereo audio inputs)	LOAD IMPEDANCE	8 Ω to 4 Ω	PRE-AMPLIFIER	8 phono sockets	COLOURS OPTIONS	Silver, Black or White.
VIDEO OUTPUTS (SCART)	SCART (RGB, YPrPb, Composite) S-video on 4 pin DIN	MULTI-ROOM	4 RJ45 sockets Accessory socket: Allows connection of a Linn Room Controller Unit.	TUNER	FM Aerial – 1 f-type terminal AM Aerial – 2 screw type terminals		
AUDIO OUTPUTS (SCART)	5 speaker level safety compliant outputs 5.1 line level RCA phono outputs Line level record output Optical digital output SCART (analogue stereo audio outputs)		Room In: allows connection of balanced audio and communication with the Linn KNEKT system.	TUNER RANGE	USA: FM 87.5 to 108.5 MHz, AM 530 to 1730 kHz,		
VIDEO INPUTS (PHONO)	YPrPb, S-video, Composite		IR Flasher 1 and 2: Allows connection of an IR diode to allow control of other equipment.		Japan: FM 77.5 to 108.5 MHz, AM 530 to 1730 kHz,		
AUDIO INPUTS (PHONO)	TV and Aux AV inputs 2 RCA phono inputs 1 optical digital input & 1 coaxial digital input	DIMENSIONS (height x width x depth)	6 mA constant current output.	TUNING RESOLUTION	Europe: FM 87.5 to 108.5 MHz, AM 522 to 1611 kHz		
VIDEO OUTPUTS (PHONO)	YPrPb, S-video, Composite		Modulation frequency can be varied from 20 kHz to 450 kHz		FM TUNE mode: 50 kHz, FM SCAN mode: 100 kHz,		
AUDIO OUTPUTS (PHONO)	5 speaker level safety compliant outputs 5.1 line level RCA phono outputs Line level record output Optical digital output	WEIGHT	80 x 381 x 368 mm 31.8 x 15 x 14.5 inches		AM TUNE mode: 1 kHz, AM SCAN mode: 10 kHz		
POWER AMPLIFIER	75 W RMS per channel into 4 Ω	COLOURS OPTIONS	6.4kg 14.2lbs		USA, 9 kHz Japan and Europe		
			Silver or Graphite.	PRESETS	80 user definable presets		
				HEADPHONES	Output impedance: < 8 Ω Output level: same as preamp output Output current limit: 60 mA Load impedance: 8 Ω to 2 Ω		